

# ENCLOSURE WITH ACTIVE COOLING

ROBUST  
DESIGN

MORE  
INDOOR  
SPACE

ONE  
SUPPLIER

RELIABLE  
& DURABLE



## ACTIVE COOLING INSIDE

- Enhanced reliability at high ambient temperatures
- Maintains temperature below 35°C
- Extended component lifetime
- No external fans
- No filters to replace
- High corrosion resistance
- Full access to all components

## MODELS AVAILABLE

Advansor Enclosure with active cooling Medium						
	External dimensions, incl. base frame mm			Enclosure weight, excl. rack	Suitable for	Item no.
	Height	Length	Width	kg	ValuePack	
A	2400	2400	1100	440	x	4540200
B	2400	2700	1100	490	x	4540201
C	2400	3200	1100	550	x	4540202
D	2400	3600	1100	610	x	4540203

Advansor Enclosure with active cooling Large*						
	External dimensions, incl. base frame mm			Enclosure weight, excl. rack	Suitable for	Item no.
	Height	Length	Width	kg	CuBig II	
A	2700	5100	1400	1175	x	4540300
B	2700	6200	1400	1380	x	4540301
C	2800	7200	1400	1695	x	4540302
D	2800	8200	1400	1980	x	4540303
E	2800	9200	1400	2300	x	4540304
F	2800	10200	1400	2520	x	4540305

\* Requires a mega trailer for road transport or an open container for sea freight

## STANDARD EQUIPMENT

Rack pre-mounted inside enclosure at the factory  
Fully factory tested and assembled  
Active cooling  
Weatherproof roof  
Solid welded and galvanised steel base frame  
Forklift pockets and lifting eyes in base frame  
50 mm insulation

Prepared for easy cable installation in base frame  
Flexible pipe penetration for installation  
Hinged front access doors & door stops  
Double doors  
Removable panels  
Drain holes  
IP44

ISO 9001:2015 certified

Extensive factory tests to ensure fast commission on both pressure and electrical installations

Documentation and manuals compliant with legal requirements

ADVANSOR.COM

**ADVANSOR**  
a DOVER company